

**Test Report****No: SHCPCH171209258****Date: Jan 26 2018**

Client name: EXCELSIA TECHNOLOGIES SDN BHD
Client address: UNIT 103,BLK C,DAMANSARA INTAN,47400,PETALING JAYA
SELANGOR,MALAYSIA

Sample name: BACTAKLEEN ULTRA MIST HERBAL 200ML
Batch No./Date: /
Manufacturer: /

The above sample information was submitted and identified by the clients.

SGS job No.: SHCPCH171209258
SGS reference No.: /
Date of receipt: Dec 28 2017
Testing period: Dec 28 2017 ~ Jan 19 2018

TEST(S) REQUESTED:

Selected test(s) as requested by applicant:
Human Skin Patch Test

TEST METHOD(S):

Please refer to next page

TEST RESULT(S):

Please refer to next page

CONCLUSION:

Please refer to next page

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, and this document cannot be used for publicity without approval of the Company, not be allowed to copy testing report (except for copy of full text) without written approval.

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd



Authorized Signature Angela Yu



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Cosmetics, Personal Care & Household

3rd Building, No.889, Yishan Road, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 60645189
t (86-21) 60645189

f (86-21) 60645127
f (86-21) 60645127

www.sgsgroup.com.cn
e sgs.china@sgs.com

Test Report

No: SHCPCH171209258

Date: Jan 26 2018

Study Details

Type of study.....: Determination of irritating effects to the skin with an occlusive patch test.
Study Period.....: Jan, 2018
Test subjects.....: 30(24-53 years old; 6 males and 24 females), 30 normal healthy
Test site.....: Forearm
Concentration.....: Undiluted
Negative Control.....: Blank
Positive Control.....: SDS (1% in water)

Summary Results

All participants completed the study. Under the test conditions, SDS (1% in water) caused positive reaction in 22 subjects. The negative control blank showed no reactions and none of the subjects showed any reaction to the test product.

Methodology

Introduction

The epicutaneous patch test allows us to assess the primary skin irritation potential of cosmetic-finished products and raw materials.

Description

All the work described in this expertise was conducted in accordance with the guidelines by COLIPA (Walker A.P. et al: Test Guidelines for Assessment of Skin Compatibility of Cosmetic Finished Products in Man. Food and Chemical Toxicology 34, 1996, 651-660). Because it was a study with humans, it was carried out in accordance with the Declaration of Helsinki (1964) and subsequent revisions.

Experiments were carried out on 30 volunteers (30 normal healthy subjects, 6 males and 24 females) between the ages of 24 to 53. The volunteers were clearly informed, verbally and in writing, regarding the nature of the study, the timetable, constraints and possible risks. They gave their written informed consent before participating in the study.

Participants could withdraw from the study at any time without giving reason. During the test period, the subjects refrained from using other substances on the test areas.

Inclusion criteria

- age more than 18 years old
- informed volunteers

Exclusion criteria

- Pregnant or lactating women
- Blemishes or marks (tattoos, sunburn) which interfere with scoring
- Any skin disease that may interfere with the aim of the study



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No: SHCPCH171209258

Date: Jan 26 2018

Procedure

The product was applied in a concentration as outlined above in 8mm Finn Chamber to the forearm of the panelists for a period of 48 hours. Proper adherence of the test patches was assured by the inclusion of sodium dodecyl sulphate (SDS) in one concentration (1%) as positive control. Blank was used as a negative control.

The treatment sites were assessed for the presence of irritation by dermatologist at 48 h (30 min after patch removal), 72h and 96h after patch application.

Scoring scale

ERYTHEMA

- 0 = no evidence of erythema
- 0.5 = minimal or doubtful erythema
- 1 = slight redness, spotty and diffuse
- 2 = moderate, uniform redness
- 3 = strong uniform redness
- 4 = fiery redness

DRYNESS (SCALING)

- 0 = no evidence of scaling
- 0.5 = dry without scaling; appears smooth and taut
- 1 = fine/mild scaling
- 2 = moderate scaling
- 3 = severe scaling with large flakes

OEDEMA

- = absence of oedema
- + = presence of oedema

Test Results

Test product: BACTAKLEEN ULTRA MIST HERBAL 200ML

NO.	48h			72h			96h		
	E	D	O	E	D	O	E	D	O
1	0	0	-	0	0	-	0	0	-
2	0	0	-	0	0	-	0	0	-
3	0	0	-	0	0	-	0	0	-
4	0	0	-	0	0	-	0	0	-
5	0	0	-	0	0	-	0	0	-
6	0	0	-	0	0	-	0	0	-
7	0	0	-	0	0	-	0	0	-
8	0	0	-	0	0	-	0	0	-
9	0	0	-	0	0	-	0	0	-
10	0	0	-	0	0	-	0	0	-
11	0	0	-	0	0	-	0	0	-
12	0	0	-	0	0	-	0	0	-
13	0	0	-	0	0	-	0	0	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No: SHCPC171209258

Date: Jan 26 2018

14	0	0	-	0	0	-	0	0	-
15	0	0	-	0	0	-	0	0	-
16	0	0	-	0	0	-	0	0	-
17	0	0	-	0	0	-	0	0	-
18	0	0	-	0	0	-	0	0	-
19	0	0	-	0	0	-	0	0	-
20	0	0	-	0	0	-	0	0	-
21	0	0	-	0	0	-	0	0	-
22	0	0	-	0	0	-	0	0	-
23	0	0	-	0	0	-	0	0	-
24	0	0	-	0	0	-	0	0	-
25	0	0	-	0	0	-	0	0	-
26	0	0	-	0	0	-	0	0	-
27	0	0	-	0	0	-	0	0	-
28	0	0	-	0	0	-	0	0	-
29	0	0	-	0	0	-	0	0	-
30	0	0	-	0	0	-	0	0	-

Positive control: 1% SDS in water

NO.	48h			72h			96h		
	E	D	O	E	D	O	E	D	O
1	2	0	-	1	0	-	0	0	-
2	1	0	-	0	0	-	0	0	-
3	0	0	-	1	0	-	0	0	-
4	1	0	-	1	0	-	0	0	-
5	0	0	-	1	0	-	0	0	-
6	0	0	-	0	0	-	0	0	-
7	2	0	-	1	0	-	0	0	-
8	0	0	-	1	0	-	0	0	-
9	0	0	-	0	0	-	0	0	-
10	0	0	-	1	0	-	0	0	-
11	0	0	-	1	0	-	0	0	-
12	0	0	-	0	0	-	0	0	-
13	0	0	-	0	0	-	0	0	-
14	1	0	-	0	0	-	0	0	-
15	2	0	-	1	0	-	0	0	-
16	2	0	-	1	0	-	0	0	-
17	1	0	-	0	0	-	0	0	-
18	0	0	-	0	0	-	0	0	-
19	2	0	-	1	0	-	0	0	-
20	0	0	-	1	0	-	0	0	-
21	2	0	-	1	0	-	0	0	-
22	0	0	-	0	0	-	0	0	-
23	1	0	-	0	0	-	0	0	-

Page 4 of 6

RAND: 15882315



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Shanghai Technical Services (Shanghai) Co., Ltd.
Testing Center Cosmetics, Personal Care & Household

3rd Building, No.889, Yishan Road, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 60645189
t (86-21) 60645189

f (86-21) 60645127
f (86-21) 60645127

www.sgsgroup.com.cn
sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No: SHCPCH171209258

Date: Jan 26 2018

24	0	0	-	1	0	-	0	0	-
25	0	0	-	0	0	-	0	0	-
26	2	0	-	1	0	-	0	0	-
27	0	0	-	1	0	-	0	0	-
28	0	0	-	0	0	-	0	0	-
29	1	0	-	0	0	-	0	0	-
30	1	0	-	0	0	-	0	0	-

Negative control: Blank

NO.	48h			72h			96h		
	E	D	O	E	D	O	E	D	O
1	0	0	-	0	0	-	0	0	-
2	0	0	-	0	0	-	0	0	-
3	0	0	-	0	0	-	0	0	-
4	0	0	-	0	0	-	0	0	-
5	0	0	-	0	0	-	0	0	-
6	0	0	-	0	0	-	0	0	-
7	0	0	-	0	0	-	0	0	-
8	0	0	-	0	0	-	0	0	-
9	0	0	-	0	0	-	0	0	-
10	0	0	-	0	0	-	0	0	-
11	0	0	-	0	0	-	0	0	-
12	0	0	-	0	0	-	0	0	-
13	0	0	-	0	0	-	0	0	-
14	0	0	-	0	0	-	0	0	-
15	0	0	-	0	0	-	0	0	-
16	0	0	-	0	0	-	0	0	-
17	0	0	-	0	0	-	0	0	-
18	0	0	-	0	0	-	0	0	-
19	0	0	-	0	0	-	0	0	-
20	0	0	-	0	0	-	0	0	-
21	0	0	-	0	0	-	0	0	-
22	0	0	-	0	0	-	0	0	-
23	0	0	-	0	0	-	0	0	-
24	0	0	-	0	0	-	0	0	-
25	0	0	-	0	0	-	0	0	-
26	0	0	-	0	0	-	0	0	-
27	0	0	-	0	0	-	0	0	-
28	0	0	-	0	0	-	0	0	-
29	0	0	-	0	0	-	0	0	-
30	0	0	-	0	0	-	0	0	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No: SHCPCH171209258

Date: Jan 26 2018

Test under dermatological control

Function: Dermatologist

Name and sign

Fang Liu

SAMPLE DESCRIPTION: Sample in bottle



*** End of Report***

